

T. No. 14. N. R. 3. E. 2nd. Mer. Ind. 233.

		4.45	4.60	4.69	4.78	4.00	
	6	5	4	3	2	1	
.08	7	8	9	10	11	12	.20
	261	260	256	252	249	245	
.45	94.18	14	16	15	14	13	.62
	250	259	255	251	248	244	
	259	2	55	2	51	2	.74
94.19	20	21	22	23	24	236	
	258	258	254	251	247	243	
.39	254	2	54	2	50	2	
93	30	29	28	27	26	25	.235
	254	254	253	250	246	242	
.42	256	253	249	246			
93	31	32	33	34	35	36	.235
	234	234	238	238	238	241	

The meanders of River are found in
field book No. 2. pages 265 to 272.

234.

This image shows a single page of white paper with horizontal blue or grey ruling lines. There are two vertical lines on each side, creating margins. The paper appears slightly aged or off-white. There is no handwriting or printed text on the page.

1.111

T. No. 17. N. R. No. 3. 2nd Mer. Ind. 235.

chs. lks.	(Fractional.)
	Range-Line Var. 5° 50' E.
North.	Bel: Ranges 3 & 4. E. T. 17. N.
	On the East. Side of Sec. 36.
11.08	an Elm. 36 in's diam.
40.00	Qtr. Sec. Cor. Beech. 4. S. 54. E. 30.
	" 12. N. 51. W. 26.
48.50	a Brook 10 lks. West.
53.00	a Sugar 20 in's diam.
80.00	Set. Post. Cor. of Sec's 25 & 36.
	Beech. 10. S. 16. E. 11
	Elm. 12. N. 10. W. 10.
	Land rich. Ash. Sug. Wal. Buckeye &c.
North.	On the E. Side of Sec. 25.
20.72	an Elm. 20 in's diam.
40.00	Qtr. Sec. Cor. Beech. 14. Cornertree
	Sugar. 13. S. 20. E. 27.
	" 7. N. 40. W. 20.
52.49	Int'd River Elm. 20. S. 88. W. 21.
	Buckeye 8. N. —. E. 3.
56.41	Set. Post on N. Bank of River.

236 T. No. 17. N. R. No. 3. E. 2'd Mer. Ind.

80.00 Hackberry 4. S. 70. W. 6
 4. S. 40. E. 5.
 Set. P. Cor. to Sec's 24 & 25.
 Oak 48. S. 46. W. 25.
 Hackberry 14. N. 83. E. 39.
 Land & Timber as before.

North. On the East Side of Sec. 24.
 40.00 Qtr. Sec. Cor. Beech. 12. S. 58. W. 15.
 Sugar. 14. N. 49. E. 22
 62.94 an Ash. 18 in's diam.
 80.00 Set. P. Cor. to Sec's 13 & 24 from
 which Ash. 8. S. 34. E. 53.
 Elm 18. N. 50. W. 17.
 Land & Timber as before.

North On the East. Side of Sec. 13.
 18.29 a Hackberry 18 in's diam.
 40.00 Qtr. Sec. Cor. Cherry 16. S. 34. W. 25.
 Buckeye 14. N. 14. E. 6
 62.22 a Walnut 18 in's diam.
 80.00 Set. P. Cor. to Sec's 12 & 13.

112

Glickory, 10. S. 3. W. 16

Hickory 13. N. 46. W. 29.

Land Rich. Ash. Sug. Wal. Beech & c.

Township. Line.

East bet. De^s 16 & 17. N. R. 3. E. on

The South Side of Sec. 31.

40.00	Qtr. Sec. Cor. Beech b. S. 62. E. 13.
-------	---------------------------------------

" 6. N. Y. E. 3.

64.00	a Buckeye 9 in's diam.
-------	------------------------

80.00	Set. P. Cor. to Sec's 31 & 32.
-------	--------------------------------

Hornbeam b. N. 57. E. 4.

Buckeye 4. S. 27. E. 30.

Good. Far. L. Oak. Sug. length Spice

East. On the South-Side of Sec. 32.

14.00	a Beech 12 in's diam.
-------	-----------------------

40.00	Qtr. Sec. Cor. Ash. 14. S. 33. W. 22.
-------	---------------------------------------

Coln 20. N. 65. E. 13.

51.85 a Beech 14 in's diam.

80.00	Set. P. Cor. of Sec's 32 & 33.
-------	--------------------------------

Sugar 13. S. 61. W. 6.

238. T. No. 14. N. R. No. 3. E. 2nd Mer. Ind.

		Sug. 13. S. 85. E. 29. Land level. Beech. Oak. Sugar &c
East	On the South side of Sec. 33	
16.11	a Beech. 12. in's diam.	
40.00	Qtr. Sec. Cor. Hickory 7. N. 25. W. 24. Beech. 12. S. 41. E. 5	
51.18	a W. Oak 20 in's diam.	
80.00	Set. P. Cor. of Sec's 33 & 34. Beech 26. W. 44. Land & Tim. as above. 12. S. 54. E. 4.	
East.	On the South-Side of Sec. 34.	
47.50	a Creek 40 lks. S. W.	
40.00	Qtr. Sec. Cor. Buckeye 8. S. 41. W. 22 Sugar 14. N. 45. E. 30.	
51.34.	a Beech. 24 in's diam.	
80.00	Set. P. Cor. of Sec's 34 & 35. Beech. 8. S. 6. W. 36. Land 1 st Rate. 7. S. 85. E. 20.	
East	On the South-Side of Sec. 35.	

No. 14. N. R. No. 3. E. 2nd M. Ind 241.

9.50	Set. P. on the W. Bank of the River Oak 18. S. 38. E. 4. Red. Bud. 4. N. 42. W. 4.
23.50	Set. P. on the E. bank of the River Ash. 30. N. 46. E. 5. " 12. S. 86. W. 4.
34.90	an Ash. 20 in's diam.
0.00	Qtr. Sec. Post. Buckeye 8. S. 45. W. 14. Walnut. 30. N. 13. E. 10.
7.18	a Sugar 20 in's diam.
10.00	Set. P. Cor. of Sec's 35 & 36. Rich Land. Elm. 12. S. 89. W. 16. 1 st Kate. Hickory. 30. S. 41. E. 14.
East.	On the South-Side of Sec. 36.
24.24	a Hackberry 20 in's diam.
40.00	Qtr. Sec. Cor. Sug. 19. S. 66. E. 18. Elm. — S. 80. W. 20
40.44	an Oak. 30 in's diam.
80.00	Set. P. Cor. of T's. 16 & 14. N. R's 3 & 4. East. Sec's 1. 6. 31 & 36. Buckeye 14. S. 87. E. 14

242. T. No. 14. N. R. No. 3. E. 2^d Mer. Ind.

Buckeye 7. N. 80. E. 10.
Land rich. 1st R. Ash. Hackby. Sug.
Unghth Spice. Surveyed by.
John Mc. Donald J. S.

Subdivisions.

North	Bet. Sec's 35 & 36.
25.00	a Sug. 12 in's diam.
40.00	Qtr. Sec. Cor. Sug. 12. N. 19. E. 16. Elm. 30. S. 69. E. 25.
56.45	River corner. W. Thorn. 4. N. 4. Hackby. 24. S. 52. W. 15.
62.50	Riv. opp. Locust 20. S. 25. E. 28. Sugar 20. N. 31. W. 5.
80.00	Set. P. Cor. of Sec's 25, 26, 35 & 36. B. Walnut 16. N. 40. W. 8. 16. East 24. L. 2 ^d R. Sug. Beech. Elm. & c.
East.	Bet. Sec's 25 & 36 on Random.
13.45	a Stream 25 lks. N. W.
40.00	Temp. Qtr. Sec. Cor.

1114

T. No. 14. N. R. No. 3. E. 2^d M. Ind 243.

47.64. The River post. Buckeye 4. S. 5. E. 21.

Bo. Elder. 3. North 2.

51.60. Riv. opp. Locust 20. N. 8. E. 8.

W. Oak 14. S. 1 E. 13.

80.00 Int'd E. Line at Post.

W. Correc. 40.00. Qtr. P. Cherry 12. N. 42. E. 14. Land 1st R. Ash.
80.00 Sec. Cor. " 12. N. 84. W. 22. Beech. 5. Oak.

North. Bet. Secs 25 & 26.

18.60 a Beech. 24 in's diam.

40.00 Qtr. Sec. Cor. Elm 12. N. 60. E. 24.

Buckeye 10. N. 69. E. 5.

57.50 Scrub. grass. creek. 25 lks. S. E.

74.82 a Beech. 14 in's diam.

80.00 Set. P. Cor. to Secs 23. 24. 25 & 26.

Beech. 12. N. 22. E. 3.

" 14. N. 45. W. 13.

L. 2^d R. Beech. Oak. Hick Elm & c.

East. Bet. Secs 24 & 25 on Random.

40.00 Temp. Qtr. Sec. Post.

80.00 Int'd E. Line 84 lks N. of Post.

West. Corrected.

244. T. No. 17 N. R. No. 3. E. 2^d Mer 1st nd.

40.00 Qtr. Sec. Cor. Hackberry 12. N. 89. E. 30.
Sugar 20. S. 60. W. 55.
80.00 Sec. Cor. L. 1st R. Sug. Hack. Oak. Hick.

North. Bel: Sec^s 23 x 24.

7.53. an Ash 24 in's diam.

34.00 a stream 10 lks S. E.

40.00 Qtr. Sec. Cor. Ash. 20. N. 41. E. 14.

" 12. East 26.

63.50. a Beech 18 in's diam.

80.00 Set. P. Cor. to Sec^s 13. 14. 23. x 24.

land level. Hick. 14. N. 32. W. 13.

2^d R. Beech. 18. S. 9. W. 56.

Beech. Oak. Hickory (June 19th)

East. Bel: Sec^s 13 x 24 on Random.

40.00 temp. Qtr. Sec. Post.

55.40 a stream 5 lks. South.

79.95 Int'd E. Line 48 lks. N. of Post.

West. Corrected.

39.97 1/2 Qtr. Sec. Cor. Beech 14. S. 58. W. 11.

T. No. 17. N. R. No. 3. E. 2^d Mer. Ind. 245.

79.95 To. Sec. Cor. Land. 2nd k. Beech. Oak.
Hick. Sugar. Brush & Briars

North. Bel. Sec's 13 & 14.

31.80 an Ash. 30 in's diam.

40.00 Qtr. Sec. Cor. Hickory 14. S. 13. W. 15.
Ash. — N. 58. W. 14.

45.78. a Hickory 24 in's diam.

51.10 a stream 5 lks. S. E.

80.00 Set. P. Cor. to Sec's 11. 12. 13. & 14.

Ironwood 4. S. 38. E. 18.

Beech. 12. S. 83. W. 11.

L. 2^d k. Beech. Oak. Hickory.

East. Bel: Sec's 12 & 13. on Random.

3.00 a stream 5 lks. S. E.

40.00 temp. Qtr. Sec. Post.

51.50 a stream 10 lks. S. E.

80.10 Int'd E. Line 25 lks N. of Post.

West. corrected.

246. T. No. 14. N. R. No. 3. E. 2^d M. Ind.

40.05. Qtr. Sec. Cor. Beech. 14. N. 31. W. 3.

" 12. N. 49. E. 21.

80.10. Sec. Cor. Land 2^d R. Beech. Oak.
Hickory. Ash. Level & Brushy.

North. Bel: Sec's 34 & 35.

31.47. a Beech 30 in's diam.

40.00 Q. Sec. Cor. Hickory 14. S. 30. E. 12.
Elm. 30. S. 80. W. 26.

40.90. a Sugar. 30 in's diam.

80.00 Set. P. Cor. of Sec's 26, 27, 34 & 35
Beech 18. S. 68. E. 7.

" 12. S. 58. W. 37.

Land level 2^d R. Oak. Beech. Hickory &

East. Bel: Sec's 26 & 35 on Random.

40.00 Temp. Qtr. Sec. Post.

80.48 Int^d E. Line 60 lks S. of Post.

West. Corrected.

40.37 1/2 Qtr. Sec. Cor. Beech. 10. N. 46. W. 29.

" 14. S. 12. E. 5.

T. No. 14. N. R. No. 3. E. 2^d M. Ind. 247.

80.78 Sec. Cor. Land same Beech. O. Elm & c.

North. Bel: Sec's 26 & 27.

5.00 a Beech 12 in's diam.

40.00 Atr. Sec. Cor. Beech 10. N. 19. E. 6.

Poplar. 16. N. 81. W. 3.

68.05 an Ash 36 in's diam.

80.00 Set- P. Cor. to Sec's 22, 23, 26 & 27.

Hickory 12. N. 17. W. 22.

Beech 10. S. 12. W. 11.

L. 2^d R. Beech. Oak & c.

East. Bel: Sec's 23 & 26 on Random.

25.00 a Stream 25 lks S. E.

32.50 Same Stream N. E.

40.00 Temp. Atr. Sec. Post.

44.00 Same Stream S. E.

80.80 Int'd E. Line 22 lks. S. of Post.

West. Corrected Bel: Sec's 23 & 26.

40.40 Atr. Sec. Cor. B. Wal. 20. N. 33. W. 12.

Dug. 14. N. 16. E. 10

248. T. No. 14. N. R. No. 3. E. 2^d M. Ind.

80.00 Sec. Cor. L. 2^d R. Beech. Oak. Elm.
Brush & Briars June 20. 1821.

North. Bel. Sec^s 22 & 23
10.00 a Stream 25 lks. S. E.

35.00 an Elm 24 in's diam.

40.00 Qtr. Sec. Cor. Aug. 10 N. 24. W. 23.
Beech. 18. South 20

56.40 a Beech. 18 in's diam.

80.00 Det. P. Cor. to Sec^s 14. 15. 22 & 23.
Land 2^d R. B. Wal. 24. N. 59. E. 9.
Beech. Oak &c. " 20. S. 48. W. 10.

East. Bel. Sec^s 14 & 23 on Random
40.00 Temp. Qtr. Sec. Post.

80.72 Int'd E. Line 5 lks. N. of Post.

West. Corrected.

40.36 Qtr. Sec. Post. Ash. 10. N. 84. E. 26.
Elm. 20. S. 72. E. 4.

80.72 Sec. Cor. L. & Tim. as before. - Level.

T. No. 14. N. R. No. 3. E. 2^d Mer. Ind. 249.

North.	Bel: Sec ^s 14 & 15.
10.60	a B. Walnut 18 in's diam.
40.00	Qtr. Sec. Cor. Beech. 18. N. 9. W. 11. Ash. 18. S. 20. E. 6
80.00	Set. P. Cor. to Sec ^s 10. 11. 14 & 15. Land good. W. Oak. 18. N. 45. E. 22 " 20. S. 29. W. 25. Beech. Oak. Ash. Level & dry.

East.	Bel: Sec ^s 11 & 14 on Random
40.00	Temp. Qtr. Sec. Post.
80.43.	Int'd. E. Line 25 lks. N. of P.

West.	Corrected.
40.36 1/2	Qtr. Sec. Cor. Beech. 4. S. 60. W. 15. " 8. N. 34. W. 20.
80.43.	Sec. Cor. Land 2 ^d R. Beech. Elm & e

North	Bel: Sec ^s 33 & 34.
5.13.	a Beech 18 in's diam.
29.50	a Stream 15 lks S. E.
40.00	Qtr. Sec. Cor. Sug. 12. N. 59. E. 11

250. T. No. 14. N. R. No. 3. E. 2^d Mer. Ind.

	Buckeye. 8. S. 59. W. 10.
51.40	a Beech 14 in's diam.
80.00	Set. P. Cor. to Sec's 24, 28. 33. 8 34.
	Beech. 10. N. 35. E. 26
	Dogwood. 3. N. 68. E. 5.
	L. level 2 ^d R. Beech. Oak. Ash. &c.
East.	Bel: Sec's 24. 8 34 on Random
40.00	Temp. Qtr. Sec. Post.
79.45.	Int'd E. Line 4 lks. N. of Post.
West.	Corrected -
39.42 1/2	Qtr. Sec. Cor. Poplar. 24. S. 54. E. 5.
	Beech. 12. N. 18. W. 10.
79.45	Sec. Cor. Land 2 ^d R. flat & brushy.
North.	Bel: Sec's 24 & 28.
18.60	an Ash. 14 in's diam.
40.00	Qtr. Sec. Cor. Beech. 14. N. 86. E. 20
	" 16. N. 81. W. 21
80.00	Set. P. Cor. to Sec's 21. 22. 24 & 28
	Hickory. 10. S. 60. E. 10.

NOTE: THE OFFSET
AT THE NE CORNER
OF 13-17-2 IS
ACTUALLY 45 LINKS
NOT 5 LINKS...

ALSO, THE ^{SAID} NE CORNER
OF 13-17-2 LIES
NORTH OF THE NW CORNER
OF 18-17-3 NOT SOUTH
OF THAT CORNER.

THESE CHANGES ARE
AS PER FIELD EVIDENCE
AND AS PER THE
ORIGINAL "ATLAS OF
MARION COUNTY INDIANA"

1.119

T. No. 14. N. R. No. 3. E. 2^d. Mer. Ind. 251.

Buckeye 7. S. 39. W. 16.
Land level 2^d R. Beech. Oak & c.

East. Bet: Sec's 22 & 24 on Random
40.00 Qtr. Sec. Post.
79.50 Int'd E. Line 40 lks N. of P.

West. Corrected.
39.75 Qtr. Sec. Cor. Sugar. 20. N. 36. W. 16.
Beech. 10. N. 43. E. 36.
79.50 Sec. Cor. L. level 2^d R. Beech. Oak. Hick & c.

North. Bet: Sec's 21 & 22
13.85 a W. Oak. 48 in's diam.
40.00 Qtr. Sec. Cor. Beech. 4. S. 42. W. 9.
" 8. N. 52. E. 21
52.85 a W. Oak 30 in's diam.
30.00 Set. P. Cor. to Sec's 15. 16. 21 & 22.
Land 2^d R. Hickory 8. North 10.
Tim. as before. Ash. 18. N. 44. W. 22.

East. Bet: Sec's 15 & 22 on Random

252. T. No. 14. N. R. No. 3. E. 2^d. Mer. 9nd

40.00	Temp. Qtr. Sec. Post.
32.00	a Stream 10 lks. S. E.
49.60	Int'd E. Line 41. lks. N. of P.
West.	Corrected. Bel: Sec's 15 & 22.
39.80	Qtr. Sec. Cor. Elm 12. N. 41. E. 11.
	" 14. S. 13. E. 16.
	Sec. Cor. Land 2 ^d R. Beech. Oak. Elm & c
North.	Bel: Sec's 15 & 16.
9.50	a Buckeye 14 in's diam.
32.00	a Stream 5 lks. East.
40.00	Qtr. Sec. Cor. Beech 12. N. 21. E. 26.
	" 16. S. 88. W. 23.
48.50	a Beech 24 in's diam.
80.00	Det. P. Cor. to Sec's 9, 10, 15 & 16.
	Beech 2 ^d R. W. Oak. 14. N. 48. E. 44.
	& c. Hickory 12. S. 48. W. 20
East.	Bel: Sec's 10 & 15 on Random.
40.00	Temp. Qtr. Sec. P.
50.00	a Stream 10 lks. S. E.

T. No. 14. R. No. 3. E. 2^d Mer. Ind. 253.

49.80 Int^ld E. Line 34 lks S. of Post.

West. Corrected.

39.90 Qtr. Sec. Cor. Beech 20. S. 45. W. 15.

Buckeye 4. S. 38. E. 14.

49.80 Sec. Cor. L. level Beech. Oak with brush & c

North. Bet: Sec^s 32 x 33.

8.36 a Sugar 12 in's diam.

40.00 Qtr. Sec. Cor. Beech 14. S. 20. E. 26.

12. N. 82. E. 25.

80.00 Set. P. Cor. to Sec^s 28. 29. 32 x 33.

with 2 x P. same.
June 22^d 1821.

Ash. 12. N. 46. E. 4.

Beech. 8. S. 59. W. 11

East. Bet: Sec^s 28 x 33 on Random

38.25 a Stream 20 lks. S. E.

40.00 Temp. Qtr. Sec. P.

80.30 Int^ld E. Line 8 lks. S. of P.

West. Corrected.

40.15 Qtr. Sec. Cor. Beech 5. S. 13. E. 8.

254. T. No. 17. N. R. No. 3. E. 2^d Mer. Ind.

	Beech. 12. N. 40. E. 10.
80.30.	Sec. bor. Land same as above.
North.	Bel: Sec's 28 X 29.
21.18.	a Beech. 24 in's diam.
24.00	a Stream 20 lks. S. E.
40.00	Qtr. Sec. bor. Ash. 18. N. 20. E. 15.
	Beech. 10. S. 8 ³ / ₄ . W. 14.
46.50.	a Sugar 14 in's diam.
80.00	Det. P. Cor. to Sec's 20. 21. 28 X 29.
	<i>Beech. 24. N. 45. W. 14.</i> <i>24. N. 46. E. 25.</i> <i>24. N. 45. W. 14.</i> <i>24. N. 46. E. 25.</i>
East.	Bel: Sec's 21 X 28 on Random
40.00	Temp. Qtr. Sec. bor.
80.10.	Int'd E. Line 12 lks. S. of Post.
West.	Corrected -
40.05	Qtr. Sec. bor. Beech. 18. S. 44. W. 23.
	Ash. 14. S. 46. E. 11.
80.10	Sec. bor. Land level 2 ^d Rate
	Beech. Oak &c.

1121

T. No. 17. N. R. No. 3. E. 2nd. Mer. Ind 255.

North.	Bel: Sec's 20 & 21.
9.40	an Ash. 24 in's diam.
40.00	Qtr-Sec. Cor. Beech. 12. S. 45. W. 32.
	Hickory, 12. S. 46. E. 18.
43.50	a B. Oak. 36 in's diam.
80.00	Set. P. Cor. to Sec's 16. 17. 20 & 21.
	Beech 12. N. 63. E. 15.
	Hickory 10. N. 82. W. 25.

as before.

Land & corner

East.	Bel: Sec's 16 & 21 on Random.
40.00	Temp. Qtr-Sec. Cor.
49.90	Int'd E. Line at Post.

West	Corrected.
39.95	Qtr-Sec. Cor. Ash. 20. N. 13. W. 27.
	Hickory, 18. S. 47. E. 25.
49.90	Sec. Cor. L. 2 ^d H. Beech. Oak. Hick. Ash &c

North	Bel: Sec's 16 & 17.
21.50	a W. Oak 16 in's diam.
40.00	Qtr Sec. Cor. Beech. 14. N. 55. W. 30.
	Sugar. 8. S. 2. W. 11.

256. T. No. 14. N. R. No. 3. E. 2d. N. & Ind.

55.60 an Ash. 14 in's diam.
 80.00 Set. P. bor. Sec's 8. g. 16 x 17.
 Beech. Oak. Sug. & c. Sugar 18. N. 19. E. 28.
 L. 2d Rate. Ash. 20. N. 26. W. 21.

East. Bel: Sec's 9 x 16 on Random
 40.00 Temp. Qtr. Sec. Post.
 80.00 Int'd E. Line 16 lks. S. of Post.

West. Corrected -
 40.00 Qtr. Sec. bor. Poplar 36. S. 65. E. 1
 W. Oak. 14. S. 86. W. 14.
 80.00 Sec. bor. L. 2d R. level Beech. Oak. & c.

North. Bel: Sec's 31 x 32.
 10.60 a Sug. 16. in's diam.
 40.00 Qtr. Sec. bor. Ash. 20. N. 9. E. 21.
 Beech. 18. S. 21. W. 31.

58.85 a Beech 14 in's diam.
 68.50 a Stream 10 lks. S. E.
 80.00 Set. P. bor. to Sec's 29. 30. 31. x 32.
 Beech. Elm. Oak. Ironwood 6. N. 8 1/2. E. 15.
 L. 2d Rate. Elm. 12. S. 65. W. 14.
 & c.

T. No. 14. N. R. No. 3. E. 2^d Mer. Ind. 257.

East. Bel: Sec's 29 x 32 on Random.
 40.00 Temp. Qtr. Sec. Post.
 80.50 Int^d E. Line 4³/₄ lks. S. of Post.

West. Corrected.
 40.29 Qtr. Sec. Cor. Beech. b. N. 5. E. 15.
 80.50 " 12. S. 35. E. 24.
 Sec. Cor. 2^d R. Beech. Oak. Hickory.

West. Bel: Sec's 30 x 31.
 15.50 a Stream 5 lks. S. E.
 40.00 Qtr. Sec. Cor. Hickory 12. S. 5. W. 35.
 Ash. b. N. 24. E. 13.
 49.00 S. Int^d W. Line 142 lks. N. of Post.
 Beech. 14. N. 6. E. 5.
 Land 2^d R. " 10. S. 49. E. 15.

North. Bel: Sec's 29 x 30.
 5.00 a Beech. 18 in's diam.
 40.00 Qtr. Sec. Cor. Buckeye 10. S. 60. W. 9.
 B. Walnut. 16. S. 18. E. 14.

258. T. No. 14. N. R. No. 3. E. 2^d. Mer. Ind.

56.00 a Beech 10 in's diam.
 80.00 Set. P. Cor. to Sec's 19. 20. 29 & 30.
 Beech. 10. N. 88. W. 8.
 Land 2^d R. W. Oak. 20. S. 5. E. 14.
 Beech. Oak. 5^e.

East. Bet: Sec's 20 & 29 on Random
 32.00 a Stream 10 lks. S. E.
 40.00 Qtr. Sec. P.
 80.80. Int'd E. Line 14 lks. N. of Post.

West. Corrected.
 40.40. Qtr. Sec. Cor. Hickory 12. S. 35. W. 12.
 Beech. 14. N. 37. E. 24.
 80.80. Sec. Cor. Land & Timber same

West. Bet: Sec's 19 & 30
 40.00 Qtr. Sec. Cor. Ash. 14. S. 30. W. 14.
 Elm. 18. N. 2. E. 35.
 48.55. Int'd W. Line 39 lks. S. of Post.
 Beech. 10. S. 83. ~~E. 14.~~ 14.

" 14. N. 36. W. 14.
 Land 2^d R. Level. Beech. Oak. Hick. Brushy &c.

T. N. 14. N. R. No. 3. E. 2nd. Mer. Ind.

1123

259.

North.	Bel: Sec's 19 & 20.
5.00	a Beech 10 in's dia.
18.50.	a Stream 10 lks. S. E.
40.00	Qtr. Sec. Cor. Beech 12. N. 26. E. 21.
	" 12. S. 6. W. 26
55.10	a Beech 16 in's diam.
80.00	Set. P. Cor. to Sec's 17. 18. 19 & 20.
	Land & Jim as before. Beech. 16. N. 14. W. 32.
	" 14. S. 2. E. 28.

East.	Bel: Sec's 17 & 20 on Random.
34.00	a Stream 10 lks. S. E.
40.00	Temp. Qtr. Sec. P.
45.00	a Stream 10 lks. S. E.
80.80.	Int'd E. Line 24 lks. S. of Post.

West.	Corrected.
40.40.	Qtr. Sec. Cor. Ironwood 5. S. 40. W. 11.
	Beech. 14. N. 40. E. 14.
80.80.	Sec. Cor. L. 2 ^d . R. Beech. Oak & c.

West.	Bel: Sec's 18 & 19.
-------	---------------------

T. No. 14. N. R. No. 3. E. 2^d Mer. Ind. 261.

80.83. Sec. Cor. L. same & good with Elm & brushy

West Bel: Sec'sly & 18.

5.00 a Stream 5 lks. S. E.

40.00 Qtr. Sec. Cor. Beech. 10. N. 64. W. 14.

Poplar. 20. S. 43. E. 10.

44.83. Int'd W. Line 45 lks. South of Post.

Ash. 10. N. 65. W. 14.

30. S. 63. E. 48.

Land level. 2^d R. Beech. Oak.

Ash. Elm & Brushy.

State of Indiana)

Marion County Jss. Office County Surveyor.

certify, that this volume contains
on pages one to two hundred and sixty
one a true read of the Field Notes
of Marion County, Indiana now
on read in the Office of County
Auditor of Marion County Ind.

Witness my hand and Seal.
of My office Oliver W. Voorhis C. S.
by Wm. P. Smith (C. S.)

229. 17. 11

T. N. 17. N. R. N. 3 E. 2. N. 1. 205

born. Sec. 3	Chs. Sec.	Remarks.
N. 66. E.	5. 50.	
N. 38. E.	7. 50.	
S. 70. E.	17. 00.	
N. 80. E.	3. 00.	
S. 86. E.	2. 86.	Int. P. F. s. l. Bet. Sec. 25 & 30.
N. 70. W.	5. 00.	West Side of River.
N. 87. W.	6. 00.	
N. 75. W.	4. 50.	
N. 60. W.	6. 50.	350 Wks. a Spring.
S. 54. W.	18. 00.	150 Wks. a Stream 5 Wks. N.
S. 50. W.	10. 00.	
South.	14. 50.	150 Wks. a Stream 5 Wks. W.
S. 7. E.	14. 50.	
S. 26. E.	26. 00.	
S. 13. E.	4. 90.	Int. Line bet. Sec. 25 & 36.
South.	24. 00.	
S. 23. E.	4. 50.	
S. 12. E.	10. 00.	
S. 6. E.	17. 00.	
S. 13. W.	5. 50.	
S. 30. W.	8. 50.	

266. T. N. 17. N. R. 1. 3. E. 2. 16. 1. 1.


Ln. Sec.	bks. lbs.	Remarks.
S. 50 W.	6. 00.	
S. 85 W.	4. 50.	
N. 64 W.	5. 50.	
N. 38 W.	11. 00.	
N. 45 W.	3. 00.	
N. 6 W.	4. 00.	
N. 28 E.	2. 50.	
N. 40 E.	8. 50.	
N. 20 E.	8. 50.	
N. 30 W.	13. 00.	
N. 50 W.	12. 50.	Scrub grass. Creek. 25 W. N. E.
N. 83 W.	17. 50.	
S. 72 W.	0. 86.	Int. line bet. Sec. 35 & 36.
S. 72 W.	10. 14.	
S. 49 W.	18. 50.	
S. 28 W.	4. 50.	
S. 46 W.	10. 50.	
S. 26 W.	15. 00.	
S. 59 W.	14. 50.	
S. 35 W.	5. 00.	
S. 22 W.	5. 00.	

T. N^o. 17. A. R. N^o. 3. C. 2. Mc. Int. 26th.

3. 7 W. 3. 83.

26 W. 4. 44. Int. L. bet. T's. 16th & 17. N.

Surveyed by
W^m. B. Laughlin. D.S.



T. N. 17. N. R. N. 3. E. 2. Mb. Int. 269.

Meanders of White River
Remarks.
On E. Side of River.

N. 30 E. 15.00.

N. 62 E. 15.00

N. 47 E. 5.50.

N. 37 E. 5.00.

N. 30 E. 25.00.

N. 50 E. 15.00.

N. 85 E. 6.50.

N. 85 E. 4.50.

N. 73 E. 3.00.

East. 9.00.

S. 46 E. 5.50.

S. 60 E. 3.50.

S. 29 E. 10.50.

S. 29 W. 17.50.

South. 9.50.

S. 35 E. 6.00.

S. 54 E. 3.50.

S. 58 E. 7.00.

S. 72 E. 8.50.

Point of Island.

Head of Island.

Int. line bet. Sec. 35 & 36.

270 T. N^o 17. N. R. N^o 3 E. 2^d M. Int.

br. Sec ^s	Chs. lks.	Remarks.
N. 85 E.	4.50.	
N. 57 E.	6.00.	
N. 35 E.	7.50.	
N. 21 E.	9.00.	
N. 9 E.	6.00.	
N. 13 W.	5.00.	
N. 4 W.	7.50.	
N. 15 W.	5.50.	
N. 7 W.	5.00.	
N. 14 W.	7.50.	200 lks. a Stream 10 lks. N. E.
North	5.00.	
N. 15 E.	2.00.	
North	5.00.	
N. 7 E.	3.50.	
N. 12 W.	7.50.	Int. line bet. Sec ^s . 25 & 36.
N. 2 W.	6.50.	
N. 26 W.	25.00.	Point of Island.
N. 16 E.	10.50.	
N. 5 W.	9.50.	Head of Island
N. 15 E.	5.00.	
N. 32 E.	3.50.	

born. Sec ^s	hrs. Mts
S. 44 W.	12.33.
S. 29 W.	4.50.
S. 13 W.	4.50.
S. 24 W.	6.50
S. 9 W.	5.00.
S. 29 W.	5.50.
S. 48 W.	4.00.
S. 65 1/2 W.	3.65.
S. 71 W.	4.50.
S. 85 W.	8.50.
S. 73 W.	11.50.
S. 51 W.	8.00
S. 30 W.	2.00.
S. 26.	10.50.
S. 10 W.	8.50.
S. 9 1/2 E.	4.91.
S. 14 E.	17.00.
S. 28 W.	6.00.
S. 47 W.	10.00.
S. 79 W.	8.00.
N. 86 W.	11.30

The line bet. Sec^s 17 & 20.Int. line bet. Sec^s 19 & 20.

Head of Island

Point of Island.

Int. line bet. 19 & 20.

272.

Cor. P. S. Ch. S. L. S.

N. 65 $\frac{3}{4}$ W. 15.50.

Int. ² J. S. line bet. R's. 3 & 4.
E.

Surveyed by
Wm. B. Langhlin D.S.